

Comparison of STA Design & Restudy

Index

BMP Performance: 25% (ECP Design)

WY 1979-1988

Conceptual Design (WY 1979-1988 flows & loads):

- 1 Without IAP & Makeup
- 2 With IAP & Makeup

original design assumptions, ignores IAP & BMP makeup water  
designs modified to reflect IAP & BMP makeup water  
50% of makeup water through STA-34, remainder to historical inflow points  
IAP = reduction in backpumping to Lake Okeechobee

Restudy Alternatives:

- 50Base
- ALT-A
- ALT-B
- ALT-C
- ALT-D

Comparisons of Water & Phosphorus Balances:

- STA-1E
- STA1-W
- STA-2
- STA-34
- STA-5
- STA-6
- STA Inflows + Bypasses
- Outflows + Bypasses
- EAA Runoff - by Term
- EAA Runoff - by STA
- EAA Runoff - By Basin
- STA & Res. Inflow Sources
- Outflow Destinations
- Net Reduction (In - Out)

07/16/98

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

STA-1E

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

Source	Without IAP & Makeup			With IAP & Makeup																				
	Flow	Load	Conc	Flow	Load	Conc																		
S5A	29.1	7.6	212	29.1	7.6	212																		
S5A-East	1.8	0.4	180	1.8	0.4	180																		
C51W Diversion	90.0	20.8	187	90.0	20.8	187																		
C51W Base Pd	3.9	0.7	149	3.9	0.7	149																		
S5A Makeup	0.0	0.0	0	4.9	0.4	70																		
S5A IAP	0.0	0.0	0	0.2	0.0	99																		
Total Inflow	124.8	29.5	191	129.9	29.9	187																		
STA Outflow	126.2	7.8	50	131.3	8.0	50																		
Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R								
	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc						
ST1E11 (fr EAA)	1.4	0.4	209	1.4	0.4	209	1.4	0.4	209	1.4	0.4	209	1.0	0.3	209	1.0	0.3	209						
ST1E11 (fr Lake)	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0						
S319	117.4	26.8	185	124.8	28.5	185	124.8	28.5	185	124.8	28.5	185	117.4	26.8	185	117.3	26.8	185						
WSST1E	0.0	0.0	122	0.0	0.0	122	0.0	0.0	122	0.0	0.0	122	0.0	0.0	122	0.0	0.0	122						
TOTALIN	118.8	27.2	185	126.3	28.9	185	126.3	28.9	185	126.2	28.9	185	118.3	27.1	185	118.3	27.0	185						
ST1EQ1	124.3	6.7	43	132.0	7.7	47	132.0	7.7	47	132.0	7.7	47	123.8	6.6	43	123.7	6.6	43						
S319WS	0.1	0.0	43	0.0	0.0	47	0.0	0.0	47	0.0	0.0	47	0.0	0.0	43	0.0	0.0	43						
TOTALOUT	124.4	6.7	43	132.0	7.7	47	132.0	7.7	47	132.0	7.7	47	123.8	6.6	43	123.7	6.6	43						
NET	-5.6	20.5	142	-5.7	21.2	138	-5.7	21.2	138	-5.7	21.2	138	-5.4	20.5	142	-5.4	20.5	142						

Comparison of STA Design & Restudy  
 Conceptual Design (WY 1979-1988)

STA1-W

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

Source	Without IAP & Makeup			With IAP & Makeup		
	Flow	Load	Conc	Flow	Load	Conc
S5A	117.4	30.7	212	117.4	30.7	212
S5A-East	7.3	1.6	180	7.3	1.6	180
S5A Lake Rel	2.3	0.6	200	2.3	0.6	200
S5A Makeup	0.0	0.0	0	19.7	1.7	70
S5A IAP	0.0	0.0	0	0.9	0.1	99
C51W Diversion	11.0	2.5	187	11.0	2.5	187
C51W Base Pd	0.5	0.1	149	0.5	0.1	149
East Beach WCD	4.3	2.1	390	4.3	2.1	390
Total Inflow	142.8	37.6	213	163.5	39.4	195
STA Outflow	144.6	8.8	49	165.3	10.7	52

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc
ST1W11 (fr EAA)	150.9	38.9	209	153.0	39.5	209	152.8	39.4	209	152.9	39.5	209	165.8	42.8	209	165.9	42.8	209
ST1W11 (fr Lake)	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0
WSST1W	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0
TOTALIN	150.9	38.9	209	153.0	39.5	209	152.8	39.4	209	152.9	39.5	209	165.8	42.8	209	165.9	42.8	209
ST1WQ1	153.2	9.5	50	155.3	9.8	51	155.1	9.8	51	155.2	9.8	51	167.9	11.7	57	168.0	11.8	57
TOTALOUT	153.2	9.5	50	155.3	9.8	51	155.1	9.8	51	155.2	9.8	51	167.9	11.7	57	168.0	11.8	57
NET	-2.3	29.5	159	-2.3	29.7	158	-2.3	29.7	158	-2.3	29.7	158	-2.1	31.1	153	-2.1	31.0	152
ST1BYP	0.0	0.0	209	0.0	0.0	209	0.0	0.0	209	0.0	0.0	209	0.0	0.0	209	0.0	0.0	209
ST1WQ1	153.2	9.5	50	155.3	9.8	51	155.1	9.8	51	155.2	9.8	51	167.9	11.7	57	168.0	11.8	57
Outflow+Bypass	153.2	9.5	50	155.3	9.8	51	155.1	9.8	51	155.2	9.8	51	167.9	11.7	57	168.0	11.8	57

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

STA-2

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

Source	Without IAP & Makeup			With IAP & Makeup		
	Flow	Load	Conc	Flow	Load	Conc
S5A	30.0	7.9	212	30.0	7.9	212
S5A-East	1.9	0.4	180	1.9	0.4	180
S6	131.4	23.1	143	131.4	23.1	143
S6 Lake Rel	2.9	0.3	82	2.9	0.3	82
298 Dist (2)	8.4	2.1	204	8.4	2.1	204
S5A Makeup	0.0	0.0	0	5.1	0.4	70
S6 Makeup	0.0	0.0	0	11.0	1.0	70
S5A IAP	0.0	0.0	0	0.2	0.0	99
S6 IAP	0.0	0.0	0	24.0	5.7	192
Total Inflow	174.6	33.8	157	214.9	40.9	154
STA Outflow	176.3	10.8	50	216.6	15.7	59

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc
RUNS562	196.8	39.6	163	165.5	33.3	163	165.5	33.3	163	165.6	33.3	163	169.3	34.1	163	169.3	34.1	163
298ST2	11.6	2.9	204	9.2	2.3	204	9.3	2.4	204	9.4	2.4	204	9.4	2.4	204	9.5	2.4	204
FLIMPH	10.1	1.0	78	26.1	2.5	78	29.5	2.8	78	33.0	3.2	78	31.2	3.0	78	5.6	0.5	78
HLSBRG	0.0	0.0	78	0.0	0.0	78	0.0	0.0	78	0.0	0.0	78	0.0	0.0	78	0.0	0.0	78
WSSTA2	0.0	0.0	78	0.0	0.0	78	0.0	0.0	78	0.0	0.0	78	0.0	0.0	78	0.0	0.0	78
TOTALIN	218.4	43.5	161	200.8	38.1	154	204.3	38.5	153	207.9	38.8	151	210.0	39.4	152	184.4	37.0	163
ST2OT1	211.4	16.5	63	193.6	13.3	56	197.1	13.6	56	200.7	14.0	57	202.8	14.4	57	177.5	11.7	53
TOTALOUT	211.4	16.5	63	193.6	13.3	56	197.1	13.6	56	200.7	14.0	57	202.8	14.4	57	177.5	11.7	53
NET	7.0	27.0	98	7.2	24.9	98	7.2	24.9	97	7.3	24.8	95	7.1	25.1	95	6.9	25.3	109
ST2BYP	23.3	4.7	163	6.1	1.2	163	9.5	1.9	163	9.4	1.9	163	9.3	1.9	163	9.3	1.9	163
ST2OT1	211.4	16.5	63	193.6	13.3	56	197.1	13.6	56	200.7	14.0	57	202.8	14.4	57	177.5	11.7	53
Outflow+Bypass	234.7	21.1	73	199.7	14.5	59	206.5	15.5	61	210.0	15.9	61	212.1	16.3	62	186.8	13.6	59

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

STA-34

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

Source	Without IAP & Makeup			With IAP & Makeup														
	Flow	Load	Conc	Flow	Load	Conc												
S7	159.7	20.2	103	159.7	20.2	103												
S8 - SDR	169.9	42.8	204	169.9	42.8	204												
S7 Lake Reg	8.2	0.7	70	8.2	0.7	70												
S8 Lake Reg	7.7	0.7	72	7.7	0.7	72												
G136	10.6	0.7	53	10.6	0.7	53												
S-236/298	9.4	1.6	135	9.4	1.6	135												
South/298	2.8	0.4	102	2.8	0.4	102												
Lake Release	236.4	20.4	70	176.0	15.2	70												
S7+S8 Makeup	0.0	0.0	0	124.5	10.8	70												
S7 IAP	0.0	0.0	0	27.6	6.7	195												
S8 IAP	0.0	0.0	0	25.3	5.0	160												
Total Inflow	604.8	87.4	117	721.8	104.6	117												
STA Outflow	609.2	37.9	50	726.2	50.6	56												
Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc
R78ST3	330.8	64.9	159	123.9	24.3	159	122.8	24.1	159	119.5	23.4	159	118.4	23.2	159	118.7	23.3	159
LKTST3	255.8	20.7	66	112.8	9.2	66	170.0	14.1	67	146.9	12.3	68	136.5	11.4	68	138.9	11.7	68
G136ST3	10.5	0.7	53	11.3	0.7	53	11.8	0.8	53	11.6	0.8	53	11.6	0.8	53	11.6	0.8	53
S236SO	4.9	0.8	135	6.1	1.0	135	7.8	1.3	135	7.4	1.2	135	7.5	1.2	135	7.5	1.3	135
298ST3	2.8	0.4	102	4.3	0.5	102	5.2	0.7	102	5.2	0.7	102	5.2	0.7	102	5.2	0.7	102
WCS4				344.4	23.6	55	371.8	26.2	57									
WCS4N										277.8	19.9	58	294.8	20.8	57	309.8	21.5	56
WCS4S										50.4	5.3	85	52.4	5.4	83	58.6	5.8	81
EVBLSN										4.9	0.4	58	5.5	0.4	57	4.7	0.3	56
EVBLSS										11.7	1.2	85	12.5	1.3	83	7.5	0.7	81
TOTALIN	604.8	87.5	117	602.8	59.3	80	689.3	67.1	79	635.4	65.1	83	644.4	65.2	82	662.4	66.0	81
ST3TL4	8.8	0.5	50	0.0	0.0	35	367.0	17.1	38	266.6	12.3	37	273.7	12.6	37	285.7	13.3	38
ST3NEA	176.2	10.8	50	140.5	6.0	35	103.6	4.8	38	109.3	5.0	37	111.7	5.1	37	114.2	5.3	38
ST3TNW	115.9	7.1	50	182.0	7.8	35	140.7	6.6	38	131.1	6.0	37	131.5	6.1	37	134.3	6.2	38
ST3TS8	254.3	15.6	50	233.1	9.9	35	19.3	0.9	38	71.8	3.3	37	68.8	3.2	37	69.9	3.2	38
ST3TS7	23.5	1.4	50	13.8	0.6	35	29.1	1.4	38	27.1	1.2	37	29.0	1.3	37	27.3	1.3	38
S7TCA3	0.0	0.0	50	4.5	0.2	35	0.0	0.0	38	0.0	0.0	37	0.0	0.0	37	0.0	0.0	38
ST3THL	0.0	0.0	50	4.7	0.2	35	5.1	0.2	38	4.8	0.2	37	4.7	0.2	37	5.0	0.2	38
TOTALOUT	578.5	35.6	50	578.8	24.7	35	664.7	31.1	38	610.5	28.2	37	619.3	28.5	37	636.4	29.5	38
NET	26.2	51.9	67	24.0	34.7	45	24.6	36.0	41	24.9	37.0	46	25.1	36.6	45	26.1	36.5	43
TOTALOUT	578.5	35.6	50	578.8	24.7	35	664.7	31.1	38	610.5	28.2	37	619.3	28.5	37	636.4	29.5	38
ST3BYP	0.0	0.0	159	14.7	2.9	159	22.6	4.4	159	22.9	4.5	159	23.1	4.5	159	22.9	4.5	159
Outflow+Bypass	578.5	35.6	50	593.5	27.5	38	687.3	35.5	42	633.4	32.7	42	642.4	33.1	42	659.2	34.0	42

Comparison of STA Design & Restudy  
 Conceptual Design (WY 1979-1988)

STA-5

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

Source	Without IAP & Makeup			With IAP & Makeup																				
	Flow	Load	Conc	Flow	Load	Conc																		
C139	103.9	33.6	262	103.9	33.6	262																		
Total Inflow	103.9	33.6	262	103.9	33.6	262																		
STA Outflow	105.0	9.6	74	105.0	9.6	74																		
Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R								
	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc						
STA5IQ (C139)	102.3	33.1	262	102.3	33.1	262	102.3	33.1	262	102.3	33.1	262	102.3	33.1	262	102.3	33.1	262						
STA5IQ (Lake)	0.9	0.1	64	31.3	2.5	64	30.6	2.4	64	31.0	2.4	64	31.8	2.5	64	31.7	2.5	64						
TOTALIN	103.1	33.1	260	133.6	35.5	216	132.9	35.5	216	133.3	35.5	216	134.1	35.6	215	134.0	35.6	215						
ST5OT1	97.5	9.0	74	127.6	12.7	80	126.9	12.6	80	127.3	12.6	80	128.1	12.7	80	128.0	12.7	80						
TOTALOUT	97.5	9.0	74	127.6	12.7	80	126.9	12.6	80	127.3	12.6	80	128.1	12.7	80	128.0	12.7	80						
NET	5.7	24.2	186	6.0	22.9	135	6.0	22.9	136	6.0	22.9	136	6.0	22.9	135	6.0	22.9	135						
ST5OT1	97.5	9.0	74	127.6	12.7	80	126.9	12.6	80	127.3	12.6	80	128.1	12.7	80	128.0	12.7	80						
ST5BYP	0.0	0.0	262	0.0	0.0	262	0.0	0.0	262	0.0	0.0	262	0.0	0.0	262	0.0	0.0	262						
Outflow+Bypass	97.5	9.0	74	127.6	12.7	80	126.9	12.6	80	127.3	12.6	80	128.1	12.7	80	128.0	12.7	80						

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

STA-6

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

Source	Without IAP & Makeup			With IAP & Makeup														
	Flow	Load	Conc	Flow	Load	Conc												
So Div Ranch	17.9	4.4	197	17.9	4.4	197												
C139	0.0	0.0	262	0.0	0.0	262												
C139 Annex	0.0	0.0	70	0.0	0.0	70												
S8 SDR Makeup	0.0	0.0	0	2.5	0.2	70												
Total Inflow	17.9	4.4	198	20.4	4.6	182												
STA Outflow	18.1	1.0	43	20.7	1.2	48												
Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc
SUGRST6	17.8	4.3	197	19.2	4.7	197	19.2	4.7	197	19.2	4.7	197	19.3	4.7	197	19.3	4.7	197
U1TST6	0.0	0.0	70	0.0	0.0	70	0.0	0.0	70	0.0	0.0	70	0.0	0.0	70	0.0	0.0	70
C139ST6	0.0	0.0	262	0.0	0.0	262	0.0	0.0	262	0.0	0.0	262	0.0	0.0	262	0.0	0.0	262
WSSTA6	2.9	0.2	64	3.0	0.2	64	2.8	0.2	64	2.7	0.2	64	2.9	0.2	64	2.9	0.2	64
TOTALIN	20.7	4.6	178	22.2	4.9	179	22.0	4.9	180	21.9	4.9	181	22.1	4.9	180	22.2	4.9	180
ST6SEM	1.2	0.1	47	1.4	0.1	51	1.3	0.1	51	1.3	0.1	51	1.4	0.1	51	1.4	0.1	51
ST6WCA	16.7	1.0	47	17.8	1.1	51	6.5	0.4	51	8.0	0.5	51	7.0	0.4	51	8.0	0.5	51
ST6TL4	0.0	0.0	47	0.0	0.0	51	11.3	0.7	51	9.8	0.6	51	10.8	0.7	51	9.8	0.6	51
TOTALOUT	17.9	1.0	47	19.2	1.2	51	19.1	1.2	51	19.2	1.2	51	19.2	1.2	51	19.2	1.2	51
NET	2.8	3.5	131	3.1	3.7	128	2.9	3.7	129	2.8	3.7	129	2.9	3.7	129	2.9	3.7	129
STA6 Outflow	17.9	1.0	47	19.2	1.2	51	19.1	1.2	51	19.2	1.2	51	19.2	1.2	51	19.2	1.2	51
STA6BYP	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0
Outflow+Bypass	17.9	1.0	47	19.2	1.2	51	19.1	1.2	51	19.2	1.2	51	19.2	1.2	51	19.2	1.2	51

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

STA Inflows + Bypasses

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

STA	Without IAP & Makeup			With IAP & Makeup			Flow	Load	Conc
	Flow	Load	Conc	Flow	Load	Conc			
STA-1E	124.8	29.5	191	129.9	29.9	187	1.04	1.02	
STA1-W	142.8	37.6	213	163.5	39.4	195	1.14	1.05	
STA-2	174.6	33.8	157	214.9	40.9	154	1.23	1.21	
STA-34	604.8	87.4	117	721.8	104.6	117	1.19	1.20	
STA-5	103.9	33.6	262	103.9	33.6	262	1.00	1.00	
STA-6	17.9	4.4	198	20.4	4.6	182	1.14	1.05	
Total	1168.7	226.2	157	1354.4	253.0	151			

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc
STA-1E	118.8	27.2	185	126.3	28.9	185	126.3	28.9	185	126.2	28.9	185	118.3	27.1	185	118.3	27.0	185
STA1-W	150.9	38.9	209	153.0	39.5	209	152.8	39.4	209	152.9	39.5	209	165.8	42.8	209	165.9	42.8	209
STA-2	241.7	48.2	161	206.9	39.3	154	213.8	40.4	153	217.3	40.7	152	219.2	41.3	153	193.7	38.9	163
STA-34	604.8	87.5	117	617.5	62.2	82	711.8	71.5	81	658.3	69.6	86	667.5	69.7	85	685.3	70.5	83
STA-5	103.1	33.1	260	133.6	35.5	216	132.9	35.5	216	133.3	35.5	216	134.1	35.6	215	134.0	35.6	215
STA-6	20.7	4.6	178	22.2	4.9	179	22.0	4.9	180	21.9	4.9	181	22.1	4.9	180	22.2	4.9	180
Total	1240.0	239.5	156	1259.5	210.4	135	1359.5	220.6	131	1309.9	219.1	135	1327.0	221.3	135	1319.2	219.7	135



Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

Outflows + Bypasses

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

STA	Without IAP & Makeup			With IAP & Makeup		
	Flow	Load	Conc	Flow	Load	Conc
STA-1E	126.2	7.8	50	131.3	8.0	50
STA1-W	144.6	8.8	49	165.3	10.7	52
STA-2	176.3	10.8	50	216.6	15.7	59
STA-34	609.2	37.9	50	726.2	50.6	56
STA-5	105.0	9.6	74	105.0	9.6	74
STA-6	18.1	1.0	43	20.7	1.2	48
Total	1179.4	75.9	52	1365.0	95.8	57

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc
STA-1E	124.4	6.7	43	132.0	7.7	47	132.0	7.7	47	132.0	7.7	47	123.8	6.6	43	123.7	6.6	43
STA1-W	153.2	9.5	50	155.3	9.8	51	155.1	9.8	51	155.2	9.8	51	167.9	11.7	57	168.0	11.8	57
STA-2	234.7	21.1	73	199.7	14.5	59	206.5	15.5	61	210.0	15.9	61	212.1	16.3	62	186.8	13.6	59
STA-34	578.5	35.6	50	593.5	27.5	38	687.3	35.5	42	633.4	32.7	42	642.4	33.1	42	659.2	34.0	42
STA-5	97.5	9.0	74	127.6	12.7	80	126.9	12.6	80	127.3	12.6	80	128.1	12.7	80	128.0	12.7	80
STA-6	17.9	1.0	47	19.2	1.2	51	19.1	1.2	51	19.2	1.2	51	19.2	1.2	51	19.2	1.2	51
Total	1206.1	82.9	56	1227.2	73.4	48	1326.9	82.2	50	1277.0	79.8	51	1293.5	81.5	51	1284.9	79.8	50

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

EAA Runoff - by Term

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

	Without IAP & Makeup			With IAP & Makeup		
	Flow	Load	Conc	Flow	Load	Conc
S5A->Lake	9.9	2.3	188	8.5	2.1	200
S6->Lake	33.5	7.9	191	9.6	2.3	194
S7->Lake	38.7	9.3	195	11.0	2.7	199
S8->Lake	35.5	7.0	160	10.1	2.0	160
S5A->STA-1E	30.9	8.0	210	31.1	8.0	209
S5A->STA-1W	124.7	32.3	210	125.6	32.4	209
S5A->STA-2	31.9	8.3	210	32.1	8.3	209
S6 ->STA-2	131.4	23.1	143	155.4	28.8	150
S7->STA-34	159.7	20.2	103	187.3	26.9	116
S8->STA-34	169.9	42.8	204	195.3	47.8	198
S8->STA-6	17.9	4.4	198	17.9	4.4	198
Total	784.0	165.5	171	783.9	165.7	171

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc	Flow	Load	Conc
S2PMP	29.0	6.9	194	9.5	2.3	194	0.5	0.1	194	0.5	0.1	194	0.5	0.1	194	0.5	0.1	194
S3PMP	0.9	0.2	160	0.0	0.0	160	0.0	0.0	160	0.0	0.0	160	0.0	0.0	160	0.0	0.0	160
R5AST1	152.4	39.3	209	154.6	39.9	209	154.4	39.8	209	154.6	39.9	209	167.3	43.2	209	167.4	43.2	209
ST1BYP	0.0	0.0	209	0.0	0.0	209	0.0	0.0	209	0.0	0.0	209	0.0	0.0	209	0.0	0.0	209
RUNS562	196.8	39.6	163	165.5	33.3	163	165.5	33.3	163	165.6	33.3	163	169.3	34.1	163	169.3	34.1	163
ST2BYP	23.3	4.7	163	6.1	1.2	163	9.5	1.9	163	9.4	1.9	163	9.3	1.9	163	9.3	1.9	163
ST3BYP	0.0	0.0	159	14.7	2.9	159	22.6	4.4	159	22.9	4.5	159	23.1	4.5	159	22.9	4.5	159
R78ST3	330.8	64.9	159	123.9	24.3	159	122.8	24.1	159	119.5	23.4	159	118.4	23.2	159	118.7	23.3	159
R78EAAR	0.0	0.0	159	182.4	35.8	159	179.7	35.3	159	183.0	35.9	159	184.3	36.2	159	184.5	36.2	159
WLES8	1.0	0.2	159	1.7	0.3	159	0.0	0.0	159	0.0	0.0	159	0.0	0.0	159	0.0	0.0	159
WLES7	0.2	0.0	159	0.4	0.1	159	1.2	0.2	159	1.2	0.2	159	1.3	0.3	159	1.2	0.2	159
WLES6	0.0	0.0	163	0.0	0.0	163	0.0	0.0	163	0.0	0.0	163	0.0	0.0	163	0.0	0.0	163
SUGRST6	17.8	4.3	197	19.2	4.7	197	19.2	4.7	197	19.2	4.7	197	19.3	4.7	197	19.3	4.7	197
ST6BYP	0.0	0.0	197	0.0	0.0	197	0.0	0.0	197	0.0	0.0	197	0.0	0.0	197	0.0	0.0	197
TOTAL	752.1	160.2	172	678.1	144.8	173	675.3	143.9	173	675.7	143.9	173	692.6	148.1	173	693.0	148.2	173

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

EAA Runoff - by STA

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

	Without IAP & Makeup			With IAP & Makeup		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
STA-1E	30.9	8.0	210	31.1	8.0	209
STA 1W	124.7	32.3	210	125.6	32.4	209
STA-2	163.3	31.4	156	187.5	37.1	160
STA-34	329.6	63.0	155	382.6	74.7	158
STA-6	17.9	4.4	198	17.9	4.4	198
Total	666.4	139.0	169	744.7	156.6	170

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
STA-1E	1.4	0.4	209	1.4	0.4	209	1.4	0.4	209	1.4	0.4	209	1.0	0.3	209	1.0	0.3	209
STA 1W	150.9	38.9	209	153.0	39.5	209	152.8	39.4	209	152.9	39.5	209	165.8	42.8	209	165.9	42.8	209
STA-2	220.1	44.3	163	171.6	34.5	163	175.0	35.2	163	174.9	35.2	163	178.6	35.9	163	178.6	35.9	163
STA-34/EAA Res.	330.8	64.9	159	321.0	63.0	159	325.1	63.8	159	325.3	63.8	159	325.8	63.9	159	326.1	64.0	159
STA-6	17.8	4.3	197	19.2	4.7	197	19.2	4.7	197	19.2	4.7	197	19.3	4.7	197	19.3	4.7	197
Total	720.9	152.8	172	666.3	142.1	173	673.6	143.5	173	673.8	143.5	173	690.4	147.6	173	690.8	147.7	173

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

EAA Runoff - By Basin

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

	Without IAP & Makeup			With IAP & Makeup		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
S5A	187.5	48.6	210	188.9	48.7	209
S6	131.4	23.1	143	155.4	28.8	150
S7	159.7	20.2	103	187.3	26.9	116
S8	187.8	47.1	203	213.2	52.1	198
S5A+S6	318.9	71.7	182	344.2	77.5	182
S7+S8	347.5	67.4	157	400.5	79.0	160
Backpump	117.6	26.5	183	39.2	9.1	188
Total	784.0	165.5	171	783.9	165.7	171

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
S5A+S6	372.5	83.6	182	326.2	74.4	185	329.4	75.0	185	329.5	75.1	185	345.9	79.1	185	346.0	79.1	185
S7+S8	349.7	69.5	161	342.3	68.1	161	345.5	68.7	161	345.7	68.8	161	346.3	68.9	161	346.5	68.9	161
Backpump	29.9	7.1	193	9.5	2.3	194	0.5	0.1	194	0.5	0.1	194	0.5	0.1	194	0.5	0.1	194
Total	752.1	160.2	173	678.1	144.8	173	675.3	143.9	173	675.7	143.9	173	692.6	148.1	173	693.0	148.2	173

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

STA & Res. Inflow Sources

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

	Without IAP & Makeup			With IAP & Makeup			ECP - Historical Inflows		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
EAA	666.4	139.0	169	744.7	156.6	170	883.3	195.8	180
Lake	257.6	22.7	71	364.9	32.0	71	21.2	2.3	86
C139	114.5	34.3	243	114.5	34.3	243	114.5	34.3	243
298	24.9	6.1	199	24.9	6.1	199	0.0	0.0	0
C51W	105.4	24.1	185	105.4	24.1	185	4.9	0.9	149
L8	0.0	0.0	0	0.0	0.0	0	50.7	3.5	56
Total Inflow	1168.7	226.2	157	1354.4	253.0	151	1074.6	236.8	179

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
EAA	720.9	152.8	172	666.3	142.1	173	673.6	143.5	173	673.8	143.5	173	690.4	147.6	173	690.8	147.7	173
Lake	269.6	22.0	66	549.0	45.2	67	621.1	51.4	67	549.5	45.5	67	558.2	46.1	67	551.7	45.0	66
C139	112.8	33.8	243	113.6	33.8	241	114.0	33.8	240	113.9	33.8	241	113.9	33.8	241	113.9	33.8	241
298	19.3	4.1	172	19.6	3.9	160	22.3	4.3	156	22.0	4.2	157	22.0	4.3	157	22.2	4.3	157
C51W	117.4	26.8	185	124.8	28.5	185	124.8	28.5	185	124.8	28.5	185	117.4	26.8	185	117.3	26.8	185
Total Inflow	1240.0	239.5	156	1473.2	253.4	139	1555.8	261.6	136	1483.9	255.6	140	1501.8	258.6	139	1495.8	257.6	139

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

Outflow Destinations

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

STA	Without IAP & Makeup			With IAP & Makeup			ECP - Historical flows		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
WCA-1	270.8	16.6	50	296.6	18.7	51	472.5	105.6	181
WCA-2A	176.3	10.8	50	216.6	15.7	59	229.0	30.5	108
WCA-3A	627.3	38.9	50	746.9	51.8	56	373.0	100.7	219
EAA	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0
Rotenb.	105.0	9.6	74	105.0	9.6	74	0.0	0.0	0
Holeyland	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0
Seminoles	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0
C51W	0.0	0.0	0	0.0	0.0	0	0.0	0.0	0
Total	1179.4	75.9	52	1365.0	95.8	57	1074.6	236.8	179

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
WCA-1	277.5	16.1	47.1	287.3	17.5	49.2	287.1	17.4	49.2	287.2	17.4	49.2	291.7	18.3	50.8	291.7	18.3	50.9
WCA-2A	258.2	22.6	70.9	227.7	17.9	63.6	257.4	21.2	66.6	259.3	21.5	67.2	263.2	21.9	67.5	236.4	19.2	65.8
WCA-3A	571.7	35.1	49.7	578.5	25.1	35.1	649.2	30.7	38.4	597.1	28.0	37.9	604.5	28.3	37.9	622.6	29.3	38.1
EAA	0.0	0.0	0.0	166.5	19.8	96.3	156.5	19.1	98.9	159.4	19.3	97.9	161.0	19.4	97.6	161.0	19.3	97.3
Rotenb.	97.5	9.0	74.5	127.6	12.7	80.3	126.9	12.6	80.2	127.3	12.6	80.3	128.1	12.7	80.5	128.0	12.7	80.4
Holeyland	0.0	0.0	0.0	4.7	0.2	34.5	5.1	0.2	37.8	4.8	0.2	37.4	4.7	0.2	37.3	5.0	0.2	37.6
Seminoles	1.2	0.1	47.1	1.4	0.1	51.0	1.3	0.1	51.4	1.3	0.1	51.1	1.4	0.1	50.9	1.4	0.1	50.9
C51W	0.1	0.0	43.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	1206.1	82.9	55.7	1393.7	93.1	54.1	1483.3	101.3	55.3	1436.3	99.1	55.9	1454.5	100.9	56.2	1445.9	99.2	55.6

Comparison of STA Design & Restudy  
Conceptual Design (WY 1979-1988)

Net Reduction (In - Out)

BMP Performance: 25% (ECP Design)

WY 1979-1988

07/16/98

STA	Without IAP & Makeup			With IAP & Makeup		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
STA-1E	-1.4	21.7	141	-1.4	21.9	137
STA1-W	-1.8	28.8	164	-1.8	28.7	143
STA-2	-1.7	23.0	107	-1.7	25.2	95
STA-34	-4.4	49.5	67	-4.4	54.1	61
STA-5	-1.1	24.0	188	-1.1	24.0	188
STA-6	-0.2	3.4	154	-0.2	3.4	133
Total	-10.6	150.3	105	-10.6	157.2	94

Restudy	50Base			ALT-A			ALT-B			ALT-C			ALT-D			A-D13R		
	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>	<u>Flow</u>	<u>Load</u>	<u>Conc</u>
STA-1E	-5.6	20.5	142	-5.7	21.2	138	-5.7	21.2	138	-5.7	21.2	138	-5.4	20.5	142	-5.4	20.5	142
STA1-W	-2.3	29.5	159	-2.3	29.7	158	-2.3	29.7	158	-2.3	29.7	158	-2.1	31.1	153	-2.1	31.0	152
STA-2	7.0	27.0	88	7.2	24.9	95	7.2	24.9	92	7.3	24.8	91	7.1	25.1	91	6.9	25.3	104
STA-34	26.2	51.9	67	24.0	34.7	44	24.6	36.0	40	24.9	37.0	44	25.1	36.6	43	26.1	36.5	42
STA-5	5.7	24.2	186	6.0	22.9	135	6.0	22.9	136	6.0	22.9	136	6.0	22.9	135	6.0	22.9	135
STA-6	2.8	3.5	131	3.1	3.7	128	2.9	3.7	129	2.8	3.7	129	2.9	3.7	129	2.9	3.7	129
Total	33.8	156.6	101	32.3	137.0	87	32.7	138.4	81	32.9	139.3	85	33.5	139.8	84	34.3	139.9	85